



**HXSD**  
FOCUS ON GAMING PERIPHERALS



BUSINESS PRODUCT CATALOGUE

**2024**



Main products: computer mouse/keyboard/camera/audio/microphone,etc.  
SKU 300+ in stock:exquisite private molds support customized OEM and ODM orders.

# ABOUT US

## Company Profile

Shenzhen Xinshijie Industrial Co., Ltd was established in 2013, factory covering more than 20,000 square meters. We're a manufacturer which specializing in computer product accessories with brand HXSJ. The main products are game and office series, which are mouse, keyboard, camera, audio, microphone, etc. In recent years, in order to meet the market demand, the development of mouse and keyboard for game is the main focus. The company's main models are all in stock, which can meet the needs of customers for timely delivery. In addition, our company also undertakes OEM and ODM orders. All products have passed CE, ROHS, FCC and other industry certifications, and are currently exported to the Americas, Europe, the Middle East and Southeast Asia and other countries. The company has always aimed for win-win cooperation and is committed to providing reliable products to customers around the world.



Factory



Office Room



Our Team



Production Equipment



Our Workshop



Our Warehouse

# HXSJ RGB GLOW GAME MOUSE

HXSJ MOUSE IS IDEAL CHOOSE FOR OFFICE AND GAMING.



## X200

NEW Arrivals



### Function parameter:

- Colorful slow flash breathing
- Ergonomic design
- 4-level adjustable DPI, 1200/1800/2400/4800
- Return rate: 125HZ
- Movement speed: 40 inch/s
- Refresh rate: 4000FPS
- Acceleration: 10G

## X300

NEW Arrivals




### Function parameter:

- Key life: 20 million clicks
- Chipset: A725 IC
- LED: 14 RGB light modes are switched.
- RGB Macro definition programmable game mouse
- DPI: 1200-1600-2400-3200-4800-7200DPI

## X400

NEW Arrivals



### Function parameter:

- Mechanical macro defines gaming mouse
- Ergonomic design
- Lighting effect: Switch between 13 RGB lighting effect modes.
- Switch life: 20 million cycles
- 1.65M braided wire + magnetic ring
- 6-level DPI adjustable, maximum 12800DPI

## G6

NEW Arrivals



### Function parameter:

- Mechanical macro defines gaming mouse
- Ergonomic design
- Lighting effect: Switch between 13 RGB lighting effect modes.
- Switch life: 20 million cycles
- 10 programmable keys
- 6-level DPI adjustable, maximum 12800DPI

X600



Function parameter:

- Mechanical hole gaming mouse
- 6 button design
- 4 files dpi up to 8000dpi
- RGB light, black, light can be turned off



J900



Function parameter:

- Mechanical hole gaming mouse
- 6 button design
- 4 files dpi up to 8000dpi
- RGB light, black, light can be turned off



X100



Function parameter:

- Key life: 10 million clicks
- Chipset: 603EP
- LED: 7-color backlight
- Long press the DPI - button for 3 seconds to turn off or on the LED light
- DPI: 1200-1800-2400-3600DPI

A876



Function parameter:

- 1951C scheme RGB gaming mouse
- 6-speed dpi up to 6400dpi
- 7-key macro programming tour
- Play mouse colorful breathing light

## J300



### Function parameter:

- Mechanical macros define gaming mouse, ergonomically designed
- 6 button design
- 4 files dpi up to 8000dpi
- RGB light, black, light can be turned off

## A869RGB



### Function parameter:

- High-end brand mechanical macro defines gaming mouse
- Ergonomic design
- 7 programmable keys
- RGB marquee lights.
- 6-speed DPI adjustable up to 7200 DPI
- USB plug and play, scheme: 198E2

## A867



### Function parameter:

- High-end brand mechanical macro defines gaming mouse
- Ergonomic design
- 7 programmable keys
- RGB marquee lights.
- 4-speed DPI adjustable up to 6400 DPI
- USB plug and play, scheme: 198E2

## A883



### Function parameter:

- Mechanical macro glowing gaming mouse
- Ergonomic design
- 7 programmable keys
- Lighting effect: colorful breathing light effect
- 4-level adjustable DPI, maximum 6400 DPI

## S700



### Function parameter:


- Mechanical macro defines gaming mouse
- Ergonomic design
- 10 programmable keys
- 6-level DPI adjustable, maximum 12800DPI
- Lighting effect: Switch between 13 RGB lighting effect modes.
- Switch life: 20 million cycles

# HXSJ RGB GLOW GAME WIRELESS MOUSE

HXSJ RGB MOUSE ADDS A MORE COMFORTABLE EXPERIENCE FOR GAME PLAYERS.



## T34



### Function parameter:

- Connection method: 2.4G+BT5.2
- 10M wireless receiving distance
- Rechargeable: Built-in 500mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI)
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## T38



### Function parameter:

- Connection mode: 2.4G + BT5.1
- 10M wireless receiving distance
- Rechargeable: Built-in 500mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI)
- Acoustic switch with 10 million keystrokes life.
- 5 million times (Silent switch)
- Using a hollow and colorful luminous LOGO, which is highly recognizable

## T20



### Function parameter:

- Connection method: 2.4G wireless
- 10M wireless receiving distance
- Rechargeable: Built-in 650mAh lithium battery
- 4-speed DPI adjustment design (1200/1800/2400/4800DPI)
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## T68



### Function parameter:

- Connection method: Wired+2.4G+BT5.1
- 10M wireless receiving distance
- Rechargeable: Built-in 650mAh lithium battery
- 6-speed DPI adjustment design (1200-2400-3200-6600-9600-12000DPI)
- Acoustic switch with 20 million keystrokes life.
- Optical IC:PAW3311
- Automatic sleep power saving design.
- Lightweight design(=54g).

# WIRELESS MOUSE PRODUCT CATALOGUE

## T66

NEW Arrivals



### Function parameter:

- Connection method: Wired+2.4G+BT5.3
- Mechanical macro defines gaming mouse
- Rechargeable: Built-in 650mAh lithium battery
- 5-speed DPI adjustment design (800-1200-1600-2400-3600DPI)
- Acoustic switch with 20 million keystrokes life. • IC:FR2012+3212
- Automatic sleep power saving design. • Support 6 kinds of marquee lighting effects.

## T99

HOT Sale



+



+



### Function parameter:

- 3 Modes: 2.4 G wireless+Bluetooth 3.0+Bluetooth 5.0
- 10M wireless receiving distance
- Rechargeable: Built-in 750mAh lithium battery
- 5-speed DPI adjustment design (800-1200-1600-2400-3600DPI)
- Acoustic switch with 10 million keystrokes life. • Support 6 kinds of marquee lighting effects.
- Using a hollow and colorful luminous LOGO, which is highly recognizable

## T90

NEW Arrivals



### Function parameter:

- Connection method: Wired+2.4G+BT5.3
- Mechanical macro defines gaming mouse
- Rechargeable: Built-in 650mAh lithium battery
- 5-speed DPI adjustment design (800-1200-1600-2400-3600DPI)
- Acoustic switch with 20 million keystrokes life. • IC:FR2012+3212
- Automatic sleep power saving design. • Support 6 kinds of marquee lighting effects.

## T26

HOT Sale



### Function parameter:

- Connection method: 2.4Ghz+BT5.1
- Mechanical macro defines gaming mouse
- Rechargeable: Built-in 650mAh lithium battery
- 4-speed DPI adjustment design (800-1200-2400- 4800DPI)
- Acoustic switch with 5 million keystrokes life. • IC:FR2012+3212
- Automatic sleep power saving design. • Swap back cover design.

## T900



### Function parameter:

- Connection method: 2.4Ghz+BT3.0+BT5.1
- Rechargeable: Built-in 400mAh lithium battery
- 4-speed DPI adjustment design (800-1200-1600- 2400DPI )
- Acoustic switch with 5 million keystrokes life.
- Automatic sleep power saving design.
- 7 colors to choose from
- Button Full mute switch
- Magnetic transparent cover.

## T200



### Function parameter:

- Connection method: 2.4Ghz+BT5.1
- Rechargeable: Built-in 400mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI )
- Acoustic switch with 5 million keystrokes life.
- Automatic sleep power saving design.
- 7 colors to choose from
- Button Full mute switch
- Magnetic transparent cover.

## M333



### Function parameter:

- Connection method: 2.4Ghz+BT5.1+BT5.1
- Rechargeable: Built-in 400mAh lithium battery
- 4-speed DPI adjustment design (800-1200-1600- 2400DPI )
- Acoustic switch with 5 million keystrokes life.
- Automatic sleep power saving design.
- 7 colors to choose from
- Button Full mute switch
- Magnetic transparent cover.

## M103



### Function parameter:

- Connection method: 2.4Ghz
- Rechargeable: Built-in 400mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI )
- Acoustic switch with 5 million keystrokes life.
- Automatic sleep power saving design.
- One-click return to desktop function.
- Button Full mute switch



# WIRELESS MOUSE PRODUCT CATALOGUE

## T32



### Function parameter:

- Connection method: 2.4Ghz
- Vertical side grip design mouse.
- Innovative aluminum alloy side roller
- 4-speed DPI adjustment design (800-1600-2400-3600DPI)
- Acoustic switch with 10 million keystrokes life.
- Ergonomic design
- Automatic sleep power saving design.

## T16



### Function parameter:

- Connection method: 2.4G+BT5.1+BT5.1
- Small, mini and portable design.
- SILENT CLICKS & USB-TYPE-C Charging, no need to change battery
- 6-speed DPI adjustment design (800-1200-1600-2400-3200-4800DPI)
- Acoustic switch with 10 million keystrokes life.
- Ergonomic design
- Automatic sleep power saving design.

## T500



### Function parameter:

- Connection method: 2.4Ghz
- One-click return to desktop function.
- Rechargeable: Built-in 500mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI)
- Acoustic switch with 5 million keystrokes life.
- Button Full mute switch
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## T69



### Function parameter:

- Connection method: 2.4Ghz
- One-click return to desktop function.
- Rechargeable: Built-in 500mAh lithium battery
- 3-speed DPI adjustment design (800-1200-1600DPI)
- Acoustic switch with 5 million keystrokes life.
- Button Full mute switch
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## T40



### Function parameter:

- Connection method: 2.4G+BT5.1 +BT5.1
- Rechargeable: Built-in 500mAh lithium battery
- 4-speed DPI adjustment design ( 1000-1600-2400-4000DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## M303-RGB



### Function parameter:

- Connection method: 2.4G+BT5.1
- Rechargeable: Built-in 500mAh lithium battery
- 4-speed DPI adjustment design ( 1000-1200-1600-2400DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## X10



### Function parameter:

- Connection method: 2.4G
- Rechargeable: Built-in 600mAh lithium battery
- 3-speed DPI adjustment design ( 800-1600-2400DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Button Full mute switch.
- Ergonomic design, Supports palm and eliminates wrist strain.

## G6



3-mode connection



### Function parameter:

- Connection method: Wired+2.4G +BT5.1
- Rechargeable: Built-in 750mAh lithium battery
- 4-speed DPI adjustment design ( 1000-1600-2400-4000DPI )
- Acoustic switch with 20 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## T300



### Function parameter:

- Connection method: 2.4G
- Rechargeable: Built-in 600mAh lithium battery
- 4-speed DPI adjustment design ( 800-1600-2400-3200DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

## M10



### Function parameter:

- Connection method: 2.4G
- Rechargeable: Built-in 600mAh lithium battery
- 3-speed DPI adjustment design ( 800-1600-2400DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

# HXSJ RGB GLOW GAME KEYBOARDS

HXSJ KEYBOARD NOT ONLY FEELS GOOD, BUT ALSO THE BACKGROUND EFFECT IMPROVES THE VISUAL APPRECIATION.



## L600

HOT Sale



### Function parameter:

- 87-key red-axis mechanical keyboard
- Hot-swap shafts can be replaced by customers(delivered with 3 original shafts and a key puller)
- Add 10 more sublimation color keycaps

## L800

NEW Arrivals



### Function parameter:

- Specification item: Three-mode mechanical keyboard
- Interface type: TYPE-C
- Cable length: 1.75m
- Connection method: Bluetooth 5.0, 2.4G, Type-C wired
- Built-in battery capacity: 2200mA
- Number of keys: 61KEY
- Key life: more than 50 million times
- Keycap material: ABS two-color injection

## V800

NEW Arrivals



### Function parameter:

- Specification item: 68-key mechanical keyboard
- Connection method: Type-C wired (1.75m)
- Shaft type: red shaft, blue shaft
- Number of keys: 68 KEY
- Key life: more than 50 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding

## L300

### MECHANICAL KEYBOARD

Blue shaft | Mixed color glow | Metal panel



### Function parameter:

- Item: RGB mechanical gaming keyboard
- Connection method: USB cable (1.68m)
- Shaft type: blue shaft
- Number of keys: 104 KEY
- Key life: more than 50 million times
- Keycap material: ABS two-color injection molding
- Multimedia: with multimedia (laser engraving)

# KEYBOARD PRODUCT CATALOGUE

## V900

RED AXIS  
MIXED LIGHT



### Function parameter:

- Item: RGB mechanical gaming keyboard
- Connection method: USB cable (1.68m)
- Shaft type: Red shaft
- Number of keys: 61 KEY
- Key life: more than 50 million times
- Keypcap material: ABS two-color injection molding
- Multimedia: with multimedia (laser engraving)

## V400-68



Cool streamer  
lighting effect



### Function parameter:

- Item: 68-key RGB Ambilight gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 68 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keypcap material: ABS two-color injection molding

## V900RB-61

BLUE SHAFT  
MIXED LIGHT



### Function parameter:

- Item: 61-key RGB Ambilight gaming keyboard
- Shaft type: Blue shaft
- Connection method: USB cable (1.8m)
- Keyboard type: Mechanical keyboard
- Number of keys: 61 KEY
- Key life: more than 50 million times
- Multimedia: with multimedia (laser engraving)
- Keypcap material: ABS two-color injection molding

## V900BW-61

BLUE SHAFT  
MIXED LIGHT



### Function parameter:

- Item: 61-key RGB Ambilight gaming keyboard
- Shaft type: Blue shaft
- Connection method: USB cable (1.8m)
- Keyboard type: Mechanical keyboard
- Number of keys: 61 KEY
- Key life: more than 50 million times
- Multimedia: with multimedia (laser engraving)
- Keypcap material: ABS two-color injection molding

# KEYBOARD PRODUCT CATALOGUE

## V900



CYAN AXIS  
MIXED LIGHT



### Function parameter:

- Item: RGB mechanical gaming keyboard
- Connection method: USB cable (1.68m)
- Shaft type: blue shaft
- Number of keys: 61 KEY
- Key life: more than 50 million times
- Keycap material: ABS two-color injection molding
- Multimedia: with multimedia (laser engraving)

## L500



Wired+2.4G+BT5.0 Dual-mode  
WIRELESS KEYBOARD




Cool streamer  
lighting effect

### Function parameter:

- Item: (BT5.0+2.4G+Wired) dual-mode wireless illuminated keyboard
- Connection method: Bluetooth 5.0, 2.4G, Wired
- Keyboard type: Membrane keyboard
- Number of keys: 61 KEY
- Key life: more than 10 million times
- Built-in battery capacity:2200mA
- Keycap material: ABS two-color injection molding
- Multimedia: with multimedia (laser engraving)

## V700



Cool streamer  
lighting effect



### Function parameter:

- Item: 61-key RGB Ambient gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 61 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding

## V500

### Connection diagram:



Cool streamer  
lighting effect

### Function parameter:

- Item: Streaming ribbon converter One-handed keyboard
- Connection method: USB cable (1.5m)
- Keyboard type: Membrane keyboard
- Number of keys:35 KEY
- Key life: more than 20 million times
- Keycap material: ABS two-color injection molding
- Supported platforms: PS3, PS4, XBOX 360, XBOX one, SWITCH

## V800-68KEY

BLUE SHAFT  
MIXED LIGHT



### Function parameter:

- Item: RGB mechanical gaming keyboard
- Connection method: USB cable (1.68m)
- Shaft type: blue shaft
- Number of keys: 68 KEY
- Key life: more than 50 million times
- Keycap material: ABS two-color injection molding
- Multimedia: with multimedia (laser engraving)


## V200-68KEY



### Function parameter:

- Item: 68-key RGB Ambilight gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 68 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding

## V700WP



### Function parameter:

- Item: 61-key RGB Ambilight gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 61 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding

## V700T



Cool streamer  
lighting effect



### Function parameter:

- 61-KEY RGB TRANSPARENT GAMING KEYBOARD
- Item: 61-key RGB Ambilight gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 61 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Full transparent PC material, fresh and thorough, transparent and dazzling light

## V700WB

### Function parameter:

- Item: 61-key RGB Ambilight gaming keyboard
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 61 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding



## V600



### Function parameter:

- Item: 96-KEY RGB LIGHTING GAME KEYBOARD
- Connection method: USB cable (1.8m)
- Keyboard type: Membrane keyboard
- Number of keys: 96 KEY
- Key life: more than 10 million times
- Multimedia: with multimedia (laser engraving)
- Keycap material: ABS two-color injection molding



## V100 + H300



### Keyboard Function parameter:

- Name: One-handed gaming keyboard
- Product model: V100
- Product interface: USB 2.0
- Press the number of keys: 35 keys
- Product line length: 1.6m
- Key life: more than 20 million times
- Keycap material: ABS two-color injection molding
- Product net weight: 350g
- Product size: 26\*18\*4cm
- FN+ESC button for light switching off function.
- The keyboard supports running on Win 2000, Win XP, Win ME, Vista, Win7, Win8, Androed, Linux, Apple and other operating systems.

### Mouse Function parameter:

- Product model: H300
- Number of keys: 7
- Resolution: 1000/1600/2400/3200/5500DPI (adjustable)
- Critical life: 10 million
- Rated voltage/current: DC 5V/100mA
- USB version: 2.0
- Buttons: Left, Right, Wheel, DPI, Fire Key, Forward, Retreat.
- Light effect: colorful glow
- Material: ABS
- Cable length: 140cm
- Product size: 13.0 \* 8.5 \* 4.0cm (length \* width \* height)

## V100 + A907

### Keyboard Function parameter:

- Name: One-handed gaming keyboard
- Product model: V100
- Product interface: USB 2.0
- Press the number of keys: 35 keys
- Product line length: 1.6m
- Key life: more than 20 million times
- Keycap material: ABS two-color injection molding
- Product net weight: 350g
- Product size: 26\*18\*4cm
- FN+ESC button for light switching off function.
- The keyboard supports running on Win 2000, Win XP, Win ME, Vista, Win7, Win8, Androed, Linux, Apple and other operating systems.

### Mouse Function parameter:

- Product model: A907
- Number of keys: 7
- Resolution: 1000/1600/2400/3200DPI (adjustable)
- Critical life: 10 million
- Rated voltage/current: DC 5V/100mA
- USB version: 2.0
- Buttons: Left, Right, Wheel, DPI, Fire Key, Forward, Retreat.
- Light effect: colorful glow
- Material: ABS
- Cable length: 140cm
- Product size: 13.0 \* 8.5 \* 3.5cm (length \* width \* height)



Cool streamer  
lighting effect





**L100 + T300**



**Keyboard Function parameter:**

- Name: 87-key rgb lighting 2.4g wireless keyboard
- Product model: L100
- Connection method: 2.4G wireless transmission
- Press the number of keys: 87 keys
- Battery capacity:1800 mAh
- Key life: more than 20 million times
- Keycap material: ABS two-color injection molding
- Product net weight: 510g
- Product size: (L) 371.86mm \* (W)150.56mm x (H)36.38mm
- Support 6 kinds of stunning backlight effects.
- Support 25-key conflict-free input.
- Support 6 kinds of stunning backlight
- The keyboard supports running on Win 2000, Win XP, Win ME, Vista, Win7, Win8, Androed, Linux, Apple and other operating systems.

**Mouse Function parameter:**

- Connection method: 2.4G
- Rechargeable: Built-in 600mAh lithium battery
- 4-speed DPI adjustment design ( 800-1600-2400-3200DPI )
- Acoustic switch with 10 million keystrokes life.
- Automatic sleep power saving design.
- Cool colorful breathing light design.

**2.4G wireless keyboard and mouse set**





TCB

GRANT OF EQUIPMENT AUTHORIZATION  
Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:

TCB

Nemko North America, INC.  
303 River Road  
Ottawa, Ontario, K1V 1H2  
Canada

Date of Grant: 03/08/2022  
Application Dated: 03/08/2022

Shenzhen Xinshijie Industrial Co., Ltd.  
201F, Building C, Chaoloft Cultural and Creative  
Park, No. 150, Huayue Road, Langkou Community  
Dalang Street, Longhua District, Shenzhen, 518000  
China

Attention: Zhen Han , CEO

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,  
and is VALID ONLY for the equipment identified hereon for use under the  
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: **2A4WF-TSS**  
Name of Grantee: Shenzhen Xinshijie Industrial Co., Ltd.  
Equipment Class: **Part 15 Low Power Communication  
Device Transmitter**  
Notes: **2.4GHz(wireless mouse)**

Grant Notes	FCC Rule Parts	Frequency Range (MHz)	Output Watts	Frequency Tolerance	Emission Designator
	15C	2408.0 - 2474.0			



TCB

GRANT OF EQUIPMENT AUTHORIZATION  
Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:

TCB

Nemko North America, INC.  
303 River Road  
Ottawa, Ontario, K1V 1H2  
Canada

Date of Grant: 03/08/2022  
Application Dated: 03/08/2022

Shenzhen Xinshijie Industrial Co., Ltd.  
201F, Building C, Chaoloft Cultural and Creative  
Park, No. 150, Huayue Road, Langkou Community  
Dalang Street, Longhua District, Shenzhen, 518000  
China

Attention: Zhen Han , CEO

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,  
and is VALID ONLY for the equipment identified hereon for use under the  
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: **2A4WF-STKMS**  
Name of Grantee: Shenzhen Xinshijie Industrial Co., Ltd.  
Equipment Class: **Part 15 Low Power Communication  
Device Transmitter**  
Notes: **2.4GHz(wireless keyboard)**

Grant Notes	FCC Rule Parts	Frequency Range (MHz)	Output Watts	Frequency Tolerance	Emission Designator
	15C	2408.0 - 2474.0			



Verification of Conformity

Registration No.: A2106119-C01-E01(V1)

Report No. : A2106119-C01-R01-V1, A2106119-C01-R02-V1,  
A2106119-C01-R03-V1, A2106119-C01-R04-V1

Applicant : Shenzhen Xinshijie Industrial Co., Ltd.  
Address : 201F, Building C, Chaoloft Cultural Creative Park, No.150, Huayue  
Road, Langkou Community, Dalang Street, Longhua District,  
Shenzhen

EC-Representative : /  
Address : /

Product : Wireless Bluetooth 5.1+2.4G Mouse  
Model No. : T23, T21, T22, T24, T25, T26, T27, T28, T29, T30, T31, T32, T33, T34,  
T35, T36, T37, T38, T39, T40, A889, M10, M20, M30, M40, M50, M60,  
M70, M80, M90, X10, X20, X30, X40, X50, X60, X70, X80, X90, T100,  
T200, T300, T400, T500, T600, T700, T800, T900, T60, T66, T67, T68,  
T69, ZD-01, M103, M106, M109, M503, T90, T16, T18, T19, T20

The submitted products have been tested by us with the listed standards and found in compliance  
with the following European Directives:

The Radio Equipment Directive (RED) 2014/53/EU  
ETSI EN 301 489-1 V2.3.2:2019  
ETSI EN 301 489-17 V3.2:2020  
ETSI EN 300 328 V2.2:2019  
EN 62479: 2010

The test results apply only to the particular sample tested and to the specific tests carried out. This  
verification applies specifically to the sample investigated in our test reference number only.

Certified by:   
Date: March 16, 2022



Shenzhen Alpha Product Testing Co., Ltd.  
Building I, No.2, Lixin Road, Fuyong Street, Bao'an District, 518103, Shenzhen City, Guangdong Province, P.R. China  
Website: <http://www.alpha-test.com> Email: [service@alpha-test.com](mailto:service@alpha-test.com)



Certificate of Conformity

Registration No.: A2006193-C02-R02

Applicant : Shenzhen xinshijie Industrial Co., Ltd.  
Address : 201F, Building C, Chao loft Culture Creative Park, No. 150, Huayue  
Road, Longkou Community, Dalang Street, Longhua District,  
Shenzhen, Guangdong Province, China

Product : Gaming mouse

Model No. : A869RGB, A866, A867, A868, A869, A876, A883, A885, A888, A903,  
A904, A905, A906, A907, A908, H100, H200, H300, H400, H500, H600,  
H700, H800, H900, X100, X200, X300, X400, X500, X600, X700, X800,  
X900, J200, J300, J400, J500, J600, J700, J800, J900, X300GY, S100,  
S200, S300, S400, S500, S600, S700, S800, S900

The submitted products have been tested by us with the listed standards and found in compliance  
with the following European Directives:

The EMC Directive 2014/30/EU  
EN 55032:2015  
EN 55035:2017

The tests were performed in normal operation mode, the test results apply only to the particular  
sample tested and to the specific tests carried out. This certificate applies specifically to the  
sample investigated in our test reference number only.  
The CE markings as shown below can be affixed on the product after preparation of necessary  
technical documentation.  
Other relevant Directives have to be observed.

CE Certified by:   
Simple Guan  
June 24 2020



Shenzhen Alpha Product Testing Co., Ltd.  
Building I, No.2, Lixin Road, Fuyong Street, Bao'an District,  
518103, Shenzhen City, Guangdong Province, P.R. China  
Website: <http://www.alpha-test.com> Email: [service@alpha-test.com](mailto:service@alpha-test.com)



Certificate of Conformity

Report No.: A2006193-C02-R03

Applicant : Shenzhen xinshijie Industrial Co., Ltd.  
Address : 201F, Building C, Chao loft Culture Creative Park, No. 150,  
Huayue Road, Longkou Community, Dalang Street, Longhua  
District, Shenzhen, Guangdong Province, China

Product : Gaming mouse

Model No. : A869RGB

Reference Information : A866, A867, A868, A869, A876, A883, A885, A888, A903, A904,  
A905, A906, A907, A908, H100, H200, H300, H400, H500, H600,  
H700, H800, H900, X100, X200, X300, X400, X500, X600, X700,  
X800, X900, J200, J300, J400, J500, J600, J700, J 800, J900,  
X300GY, S100, S200, S300, S400, S500, S600, S700, S800, S900.

Test Standard : IEC 62321-2:2013, IEC 62321-1:2013, IEC 62321-3-1:2013,  
IEC 62321-6:2013, IEC 62321-4:2013, IEC 62321-7-2:2017,  
IEC 62321-7-1:2015, IEC 62321-8:2015, IEC 62321-8:2017.

The verification of RoHS Compliance has been granted to the applicant based on the  
review of test report on the sample of the above-mentioned product in accordance with  
the relevant provisions of EU RoHS Directive 2011/65/EU Annex II and amending  
Directive (EU) 2015/863.

The results in this certificate are applicable only to the devices tested and/or test reports  
verified. This certificate shall not be re-produced except in full without the written  
approval of the undersigned. This certificate is valid only accompanied with the RoHS  
report verified and identified by the undersigned.

Approved by:   
Danny Liu  
Date of issue: June 28, 2020



Shenzhen Alpha Product Testing Co., Ltd.  
Building I, No.2, Lixin Road, Fuyong Street, Bao'an District,  
518103, Shenzhen City, Guangdong Province, P.R. China  
Website: <http://www.alpha-test.com> Email: [service@alpha-test.com](mailto:service@alpha-test.com)



Certificate of Conformity

Report No.: A2006193-C03-R03

Applicant : Shenzhen xinshijie Industrial Co., Ltd.  
Address : 201F, Building C, Chao loft Culture Creative Park, No. 150,  
Huayue Road, Longkou Community, Dalang Street, Longhua  
District, Shenzhen, Guangdong Province, China

Product : Webcam

Model No. : S90

Reference Information : A847, A848, A849, A850, A860, A861, A862, A863, A864, A865,  
A870, A871, A872, A873, A886, A888, A881, S10, S20, S30, S40,  
S50, S60, S70, S80, S1, S2, S3, S4, S5, S6, S7, S8, S9, A859

Test Standard : IEC 62321-2:2013, IEC 62321-1:2013, IEC 62321-3-1:2013,  
IEC 62321-6:2013, IEC 62321-4:2013, IEC 62321-7-2:2017,  
IEC 62321-7-1:2015, IEC 62321-8:2015, IEC 62321-8:2017.

The verification of RoHS Compliance has been granted to the applicant based on the  
review of test report on the sample of the above-mentioned product in accordance with  
the relevant provisions of EU RoHS Directive 2011/65/EU Annex II and amending  
Directive (EU) 2015/863.

The results in this certificate are applicable only to the devices tested and/or test reports  
verified. This certificate shall not be re-produced except in full without the written  
approval of the undersigned. This certificate is valid only accompanied with the RoHS  
report verified and identified by the undersigned.

Approved by:   
Danny Liu  
Date of issue: June 28, 2020



Shenzhen Alpha Product Testing Co., Ltd.  
Building I, No.2, Lixin Road, Fuyong Street, Bao'an District,  
518103, Shenzhen City, Guangdong Province, P.R. China  
Website: <http://www.alpha-test.com> Email: [service@alpha-test.com](mailto:service@alpha-test.com)

